

*Circularly Polarized Horn Antenna 20.6dBi Typ.
Gain, 26.5-40 GHz Frequency Range*



Circularly Polarized Horn Antenna Data Sheet

RM-CPHA26540-20

Features

- Low VSWR
- High Power handling
- Symmetrical Plane Beamwidth
- RHCP and LHCP
- Military Airborne Applications

Descriptions

RF MISO' s Model RM-CPHA26540-20 is RHCP and LHCP circularly polarized horn antenna that operates from 26.5 to 40GHz. The antenna offers a typical gain of 20 dBi and low VSWR 1.5 Typ.

The antenna is equipped with a circular polarizer, a Ortho-mode Transducer and a conical horn antenna. The gain of the antenna is uniform in the entire frequency band, the pattern is symmetrical, and the working efficiency is high. Antennas are widely used in antenna far-field testing, radio frequency radiation testing and other scenarios.

Specifications

RM-CPHA26540-20		
Parameters	Specification	Unit
Frequency Range	26.5-40	GHz
Gain	20 Typ.	dBi
VSWR	1.5 Typ.	
AR	1.08 Typ	dB
Polarization	RHCP and LHCP	
Interface	2.92-Female	
Material	Al	
Finishing	Paint	
Average Power	20	W
Peak Power	40	W
Size (L*W*H)	170*59.5*68 (±5)	mm
Weight	0.161	kg

*Circularly Polarized Horn Antenna 20.6dBi Typ.
Gain, 26.5-40 GHz Frequency Range*




Circularly Polarized Horn Antenna Data Sheet

RM-CPHA26540-20


Outline Drawing

N type and SMA type connectors are available, please contact RF Miso.



Simulation Data

Gain




*Circularly Polarized Horn Antenna 20.6dBi Typ.
Gain, 26.5-40 GHz Frequency Range*




Circularly Polarized Horn Antenna Data Sheet

RM-CPHA26540-20

VSWR



AR




*Circularly Polarized Horn Antenna 20.6dBi Typ.
Gain, 26.5-40 GHz Frequency Range*




Circularly Polarized Horn Antenna Data Sheet

RM-CPHA26540-20

Gain Plot



26.5GHz




30GHz

*Circularly Polarized Horn Antenna 20.6dBi Typ.
Gain, 26.5-40 GHz Frequency Range*




Circularly Polarized Horn Antenna Data Sheet

RM-CPHA26540-20



35GHz



40GHz