



Circularly Polarized Horn Antenna Data Sheet

RM-CPHA618-19

Features

- Low VSWR
- High Power handling
- Symmetrical Plane Beamwidth
- RHCP or LHCP, RHCP and LHCP
- Military Airborne Applications

Descriptions

RF MISO' s Model RM-CPHA618-19 is RHCP or LHCP, RHCP and LHCP circularly polarized horn antenna that operates from 6 to 18GHz. The antenna offers a typical gain of 19 dBi and low VSWR 1.5:1 Typ. It has uniform gain in the whole frequency band, providing efficient performance characteristics and directivity. It can be widely used in EMI detection, direction, reconnaissance, antenna gain and pattern measurement and other application fields.

Specifications

RM-CPHA618-19		
Parameters	Specification	Unit
Frequency Range	6-18	GHz
Gain	19 Typ.	dBi
VSWR	1.5 Typ.	
AR	2 Typ.	
Polarization	RHCP or LHCP, RHCP and LHCP	
Interface	SMA-Female	
Material	Al	
Finishing	Paint	
Average Power	50	W
Peak Power	3000	W
Size (L*W*H)	240.9*132.2*146 (±5)	mm
Weight	0.846	kg


*Circularly Polarized Horn Antenna 19dBi Typ. Gain,
6-18 GHz Frequency Range*



Circularly Polarized Horn Antenna Data Sheet


RM-CPHA618-19

Outline Drawing



Simulation Data

Gain




*Circularly Polarized Horn Antenna 19dBi Typ. Gain,
6-18 GHz Frequency Range*




Circularly Polarized Horn Antenna Data Sheet

RM-CPHA618-19

VSWR



AR







Circularly Polarized Horn Antenna Data Sheet

RM-CPHA618-19

Gain Plot



6GHz



10GHz

*Circularly Polarized Horn Antenna 19dBi Typ. Gain,
6-18 GHz Frequency Range*



Circularly Polarized Horn Antenna Data Sheet

RM-CPHA618-19

