

*Dual Polarized Horn Antenna
25dBi Typ.Gain, 220-330GHz Frequency Range*

Dual Polarized Horn Antenna Data Sheet

RM-DPHA3-25

Features


- Full Band Performance
- Dual Polarization
- High Isolation
- Precisely Machined and Gold Plated

Description

The **RM-DPHA3-25** is a full-band, dual-polarized, WR-3 horn antenna assembly that operates in the frequency range of 220 to 330GHz. The antenna features an integrated orthogonal mode converter that provides high port isolation. The RM-DPHA3-25 supports vertical and horizontal waveguide orientations and has a typical 65 dB cross-polarization isolation. The input to the antenna is a WR6 waveguide.

Specifications

RM-DPHA3-25		
Item	Specification	Units
Frequency Range	220-330	GHz
Gain	25 Typ.	dBi
VSWR	<1.5	
Polarization	Dual	
3dB Beam width E plane	6.98 Typ.	Degrees
3dB Beam width H plane	9.11 Typ.	Degrees
Port Isolation	75 Typ.	dB
Cross Polarization	65 Typ.	dB
Waveguide Size	WR-3	
Size	62.92*23.5*23.5	mm
Weight	0.122	Kg
Body Material and Finish	Cu, Gold	




Dual Polarized Horn Antenna
25dBi Typ.Gain, 220-330GHz Frequency Range

Dual Polarized Horn Antenna Data Sheet


RM-DPHA3-25


Outline Drawing



Simulation Result

VSWR






Dual Polarized Horn Antenna
25dBi Typ. Gain, 220-330GHz Frequency Range


Dual Polarized Horn Antenna Data Sheet


RM-DPHA3-25

Gain



Port Isolation






Dual Polarized Horn Antenna
25dBi Typ. Gain, 220-330GHz Frequency Range

Dual Polarized Horn Antenna Data Sheet


RM-DPHA3-25


Cross Polarization



Pattern

E-Plane





Dual Polarized Horn Antenna
25dBi Typ.Gain, 220-330GHz Frequency Range

Dual Polarized Horn Antenna Data Sheet

RM-DPHA3-25

H-Plane

