



*Planar Spiral Antenna*  
*3 dBi Typ. Gain, 0.75-6 GHz Frequency Range*

## Planar Spiral Antenna Data Sheet

**RM-PSA0756-3L**

### Features


- Ideal for airborne or ground applications
- Low VSWR
- L-H Circular Polarization
- With Radome

### Descriptions

RF MISO's **Model RM-PSA0756-3L** is a left-handed circularly planar spiral antenna that operates from 0.75-6GHz. The antenna offers a gain 3 dBi Typ. and low VSWR 1.5:1 with N-Female connector. It designed for EMC, reconnaissance, orientation, remote sensing, and flush mounted vehicle applications. These helical antennas can be used as separate antenna components or as feeders for reflector satellite antennas.

### Specifications

| <b>RM-PSA0756-3L</b> |                           |       |
|----------------------|---------------------------|-------|
| Parameters           | Typical                   | Units |
| Frequency Range      | 0.75-6                    | GHz   |
| Gain                 | 3 Typ.                    | dBi   |
| VSWR                 | 1.5 Typ.                  |       |
| Polarization         | L-H Circular Polarization |       |
| Connector            | N-Female                  |       |
| Material             | Al                        |       |
| Finishing            | Paint Black               |       |
| Size(L*W*H)          | Ø192.5*123.4(±5)          | mm    |
| Weight               | 0.673                     | kg    |
| Antenna Cover        | Yes                       |       |
| Waterproof           | Yes                       |       |




**Planar Spiral Antenna**  
3 dBi Typ. Gain, 0.75-6 GHz Frequency Range

## Planar Spiral Antenna Data Sheet


**RM-PSA0756-3L**

### Outline Drawing



### Test Result

#### VSWR





**Planar Spiral Antenna**  
3 dBi Typ. Gain, 0.75-6 GHz Frequency Range

**Planar Spiral Antenna Data Sheet**

**RM-PSA0756-3L**

**Gain Pattern**

