



Standard Gain Horn Antenna Data

RM-SGHA15-25

Features

- Wave-guide and Connector Interface
- Low Side-lobe
- Linear Polarization
- High Return Loss

Descriptions

RF MISO's **Model RM-SGHA15-25** is a linear polarized standard gain horn antenna that operates from 50 to 75 GHz. The antenna offers a typical gain of 25 dBi and low VSWR 1.1:1. This antenna has flange input and coaxial input for customers to rotate.

Specifications


RM-SGHA15-25		
Parameters	Specification	Unit
Frequency Range	50-75	GHz
Wave-guide	WR15	
Gain	25 Typ.	dBi
VSWR	1.1 Typ.	
Polarization	Linear	
Cross Polarization Isolation	50	dB
Material	Cu	
Finishing	Gold Plate	
C Type Size(L*W*H)	97.3*44.99*34.74(±5)	mm
Weight	0.045	kg



Standard Gain Horn Antenna Data

RM-SGHA15-25

Outline Drawing



Simulation Result

VSWR







Standard Gain Horn Antenna Data

RM-SGHA15-25

Gain



Cross Polarization(dB)






Standard Gain Horn Antenna Data


RM-SGHA15-25

Gain Pattern

50GHz



62.5GHz





Standard Gain Horn Antenna Data

RM-SGHA15-25

