



Sinusuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range

Sinusuous Antenna Data Sheet

RM-SIA218-3

Descriptions

RF MISO's **Model RM-SIA218-3** is a 45° slant linear antenna that operates from 2-18GHz. The antenna offers a gain 3 dBi Typ. and low VSWR 2:1 Typ. with SMA-Female connector. This high-performance, ultra-wideband antenna is particularly well-suited for applications such as electronic warfare, airborne arrays, and broadband direction finding.

Specifications

RM-SIA218-3		
Parameters	Typical	Units
Frequency Range	2-18	GHz
Gain	4 Typ.	dBi
VSWR	1.8 Typ.	
3dB Beamwidth, E-Plane	75.79 Typ.	°
3dB Beamwidth, H-Plane	75.47 Typ.	°
Beam Squint(Typ.)	<5	°
Amplitude Matching(Typ.)	<0.5	dB
Phase matching(Typ.)	<5	°
Cross Polarization(Typ.)	<-20	dB
Side Lobe Level(Typ.)	<-25	dB
Front to Back Ratio(Typ.)	>35	dB
Polarization	45° Slant Linear	
Connector	SMA-Female	
Power Handling	5	W
Temperature	-55 to +85	°C
Size(L*W*H) with Radome	Ø121.0*149.0	mm
Weight with Radome	0.45	Kg




Sinuuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range

Sinuuous Antenna Data Sheet

RM-SIA218-3

Outline Drawing




Sinusoidal Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range




Sinusoidal Antenna Data Sheet

RM-SIA218-3

Outline Drawing with Radome






Sinuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range


Sinuous Antenna Data Sheet


RM-SIA218-3

VSWR



Gain






Sinuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range


Sinuous Antenna Data Sheet

RM-SIA218-3


Pattern: 0deg-E-Plane, 90deg-H-Plane



2 GHz




3 GHz




Sinuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range

Sinuous Antenna Data Sheet


RM-SIA218-3



4 GHz




5 GHz




Sinuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range

Sinuous Antenna Data Sheet


RM-SIA218-3



6 GHz




8 GHz




Sinuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range

Sinuous Antenna Data Sheet


RM-SIA218-3



10 GHz




12 GHz




Sinuuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range

Sinuuous Antenna Data Sheet

RM-SIA218-3




14 GHz




16 GHz

Sinusuous Antenna
3 dBi Typ. Gain, 2-18 GHz Frequency Range



Sinusuous Antenna Data Sheet

RM-SIA218-3



18 GHz