

Waveguide Array Antenna
15 dBi Typ. Gain, 10.7-12.75GHz Frequency Range

Slot Waveguide Antenna Data

RM-WAA1071275-15

Features

- Ideal for Communication and Radar
- Low VSWR
- Small Size and Light Weight
- High Gain
- Linear Polarization

Specifications


RM-WAA1071275-15		
Parameters	Typical	Units
Frequency Range	10.7-12.75	GHz
Gain	15 Typ.	dBi
VSWR	1.6 Typ.	
Polarization	Vertical	
Bandwidth	90.9° @H, 9° @E	°
Interface	WR75	
Through-power	1.4	kw
Size(L*W*H)	138*32*33	mm

Waveguide Array Antenna
15 dBi Typ. Gain, 10.7-12.75GHz Frequency Range

Slot Waveguide Antenna Data


RM-WAA1071275-15

Outline Drawing



Simulation Data

Gain




Waveguide Array Antenna
15 dBi Typ. Gain, 10.7-12.75GHz Frequency Range

Slot Waveguide Antenna Data


RM-WAA1071275-15

VSWR



Gain Pattern

H-Plane



Waveguide Array Antenna
15 dBi Typ. Gain, 10.7-12.75GHz Frequency Range

Slot Waveguide Antenna Data

RM-WAA1071275-15

